



Mid-Spring. Prostrate, trailing to 0.4-1m. Small, 1cm flowers, about the same size as leaves. Leaves are alternate and less than or equal to 1cm wide. Almost invisible until it flowers as it creeps unnoticed, often trailing through and around grasses. Common on lower slopes, especially close to Gap Road.

Bossiaea prostrata
Creeping Bossiaea

Late Spring to early Summer. Leggy groundcover or woody low shrub, 0.3-1m wide. Leaves often pressed against stem. Compared to *Dillwynia cinerascens*, flowers not as tall, 1-2 flowers per leaf axil and flowers later. Flowers are sometimes reddy-orange (inset). Dry, rocky areas.



Dillwynia sericea
Showy Parrot-pea



Daviesia leptophylla
Slender/Narrow-leaf Bitter-pea

Early to mid-Spring. 1-1.5m open shrub. Gives magnificent mass displays of yellow-orange in late September or early October. Distinctive, stiff leaves. Common on lower and mid-slopes.



Dillwynia cinerascens
Grey Parrot-pea

Mid-late Spring. Compact, sometimes spreading, shrub 0.5x0.6m. Grey-green leaves are thin but not prickly. Flowers are taller than *Dillwynia sericea* and in clusters of 3-6 (inset). Common on lower slopes.